Flow rate 35 I/min





RAASM's digital meters, besides gauging the liquid delivered, can show instant flow rates, provide a reset total and allow the setting of different units of measurement. RAASM's digital meters are suitable for a wide variety of fluids, from low to medium to high viscosities, including lubricants, diesel fuel, antifreeze, window wash liquid and other fluids compatible with the material of the meter.

DIGITAL

Meter







Not type-approved for public use		oil and similar products	oil and similar products	antifreeze and windshield washing liquid
Article		37780	37781	37785
Flow rate	/min	35	70	40
Compatible fluids		Oil and similar products, diesel fuel	Oil and similar products, diesel fuel	Antifreeze and windshield washing liquid
Body's material		Aluminium	Aluminium	oxidized aluminium
Gear's material		POM	POM	PVDF
Inlet		F 1/2" BSP	F 3/4" BSP	F 1/2" BSP
Outlet		F 1/2" BSP	F 3/4" BSP	F 1/2" BSP
Max operating pressure	bar	70	70	70
Burst pressure	bar	± 200	± 200	± 200
Accuracy		± 0,3 %	± 0,5 %	± 0,5 %
Net weight	kg	0,485	0,790	0,485
Packing 🛛 🕅 N° -	- m ³	1 - 0,0015	1 - 0,0018	1 - 0,0015
Gross weight 🎽	kg	0,85	1	0,85
Dimensions (A - B - C)	mm	94 - 90 - 55	94 - 92 - 77	94 - 90 - 55



TECHNICAL Features

Sealed battery compartment assures continuous electronic contact in rugged working conditions

Oval gears made

of POM or PVDF

are highly resistant to fatigue and offer excellent chemical resistance Aluminium body with special coating suitable also for antifreeze and windshield washing fluid

The use of 4 magnets provides superior control and precision measurement Robotically welded electronics board equipped with a wide LCD screen

Double layer protective cover provides an air tight seal with the aluminium body

:ES

Unit: Litre - Gallon -Pint - Quarter

TOTAL or RESET TOTAL

Total-Unit: Litre - Gallon

FLOW RATE

indication

Meter uses standard "off the shelf" two 1.5 v AAA batteries

> A ribbon wire connection between the buttons and the electronic board provide superior connectivity

RAASM

Q88,8,8,8

CAL 8888888 x1000 LIT TOTAL

RESE

Raised buttons on the membrane produce an improved operational feel

Battery low level indicator

5 digit resettable totalizer

6 digit non resettable totalizer

Total may be multiplied by 10 - x 100 - x 1000

> PERFORMANCE

TOTA

• Pressure loss < 0,5 bar at max. flow rate




- 96





GUN for oil and similar Series 1/2" - 30TP

Art. **38023** Grip in technopolymer for oil gun equipped with F 1/2"inlet swivel joint, filter, F 3/8"outlet



Art. **37730 Oil gun with digital litre-counter** Art. **37780** equipped with **F 1/2**" inlet swivel joint, filter, high flow rate rigid terminal

Art. **38024 Oil gun** equipped with **F 1/2"** inlet swivel joint, filter, rigid terminal and semiautomatic drip-catcher nozzle ø 16 mm

Art. 37729 Oil gun with digital litre-counter Art. 37780 equipped with E 1/2" inlet swivel joint filter rigid term

F 1/2" inlet swivel joint, filter, rigid terminal and semiautomatic drip-catcher nozzle ø 16 mm



Art. **38025 Oil gun** equipped with **F 1/2**" inlet swivel joint, filter, flexible terminal and semiautomatic drip-catcher nozzle ø 16 mm

Art. **37728 Oil gun with digital litre-counter** Art. **37780** equipped with **F 1/2"** inlet swivel joint, filter, flexible terminal and semiautomatic drip-catcher nozzle ø 16 mm





GUN for oil and similar Series 1/2" - 40AL - 40AP

Art. **38020** Grip in aluminium for oil gun equipped with F **1/2**" inlet swivel joint, filter, F **3/8**" outlet

Art. **37740** Grip in aluminium for oil gun equipped with F 1/2" inlet swivel joint, filter, F 3/8" outlet, lever locking button



Art. 33121

Oil gun equipped with F 1/2" inlet swivel joint, filter, high flow rate rigid terminal

Art. **37743** Oil gun equipped with F 1/2" inlet swivel joint, filter, high flow rate rigid terminal, lever locking button

Art. **37760 Oil gun with digital litre-counter** Art. **37780** equipped with **F 1/2**" inlet swivel joint, filter, high flow rate rigid terminal

Art. 38021

Oil gun equipped with **F 1/2**" inlet swivel joint, filter, rigid terminal and semiautomatic drip-catcher nozzle ø 16 mm

Art. 37742

Oil gun equipped with **F 1/2**" inlet swivel joint, filter, rigid terminal, semiautomatic drip-catcher nozzle ø 16 mm and **lever locking button**

Art. 37759

Oil gun with digital litre-counter

Art. **37780** equipped with **F 1/2**" inlet swivel joint, filter, rigid terminal, semiautomatic drip-catcher nozzle ø 16 mm

Art. 38022

Oil gun equipped with **1/2" F** inlet swivel joint, filter, flexible terminal and semiautomatic drip-catcher nozzle ø 16 mm

Art. 37741

Oil gun equipped with **F 1/2**" inlet swivel joint, filter, flexible terminal, semiautomatic drip-catcher nozzle ø 16 mm and **lever locking button**

Art. 37758

Oil gun with digital litre-counter Art. 37780 equipped with F 1/2" inlet swivel joint, filter, flexible terminal and semiautomatic drip-catcher nozzle ø 16 mm

Art. 37786

Oil gun with digital litre-counter

Art. **37780** equipped with **F 1/2**" inlet swivel joint, filter, flexible terminal, semiautomatic drip-catcher nozzle ø 16 mm and **lever locking button**





GUN for oil and similar Series 1/2" - 65AP

Art. 37750 Grip in aluminium for oil gun equipped with F 1/2" inlet swivel joint, filter, F 1/2"outlet and lever locking button



Art. 33140

High flow rate oil gun equipped with F 1/2" inlet swivel joint, filter, high flow rate rigid terminal and lever locking button

Art. 37796

High flow rate oil gun with digital litre-counter Art. 37780 equipped with F 1/2" inlet swivel joint, filter, high flow rate rigid terminal and lever locking button

Art. 37752

Oil gun equipped with F 1/2" inlet swivel joint, filter, rigid terminal, semiautomatic drip-catcher nozzle ø 21 mm and lever locking button

Art. 37795

Oil gun with digital litre-counter Art. 37780 equipped with F 1/2" inlet swivel joint, filter, rigid terminal, semiautomatic drip-catcher nozzle ø 21 mm and lever locking button



Art. 37751 Oil gun equipped with F 1/2" inlet swivel joint, filter, flexible terminal, semiautomatic drip-catcher nozzle ø 21 mm and lever locking button

Art. 37794 Oil gun with digital litre-counter Art. 37780 equipped with F 1/2" inlet swivel joint, filter, flexible terminal, semiautomatic drip-catcher nozzle ø 21 mm and lever locking button



GUN for oil and similar Series 3/4" - 70AP

Art. **37775 High delivery oil grip** equipped with **F 3/4**" inlet swivel joint, filter, **F 1/2**" outlet and lever locking button



Art. 37778

High flow rate oil gun equipped with **F 3/4**" inlet swivel joint, filter, high flow rate rigid terminal and lever locking button

Art. 37799

High flow rate oil gun with digital litre-counter Art. **37781** equipped with **F 3/4**" inlet swivel joint, filter, high flow rate rigid terminal and lever locking button

Art. 37777

High flow rate oil gun equipped with **F 3/4**" inlet swivel joint, filter, rigid terminal 45°, semiautomatic drip-catcher nozzle ø 35 mm and lever locking button

Art. 37798

High flow rate oil gun with digital litre-counter Art. **37781** equipped with **F 3/4**" inlet swivel joint, filter, rigid terminal 45°, semiautomatic drip-catcher nozzle ø 35 mm and lever locking button



Art. 37776

High flow rate oil gun equipped with **F 3/4**" inlet swivel joint, filter, flexible terminal, semiautomatic drip-catcher nozzle ø 35 mm and lever locking button


Art. **37797** High flow rate oil gun with digital litre-counter Art. **37781** equipped with

F 3/4" inlet swivel joint, filter, flexible terminal, semiautomatic drip-catcher nozzle ø 35 mm and lever locking button



GUN for oil and similar Series 3/4" - 85AP

Art. **33150 High delivery oil grip** equipped with **F 3/4**"inlet swivel joint, filter, F **3/4**"outlet and lever locking button



Art. 33153

High delivery oil gun grip equipped with **F 3/4**" inlet swivel joint, filter, lever locking button, rigid terminal with free outlet

Art. 33148

High delivery oil gun grip with digital litre-counter Art. 37781 equipped with F 3/4" inlet swivel joint, filter, lever locking button, rigid terminal with free outlet

Art. 33152

High delivery oil gun grip equipped with **F 3/4**" inlet swivel joint, filter, lever locking button, rigid terminal and drip-catcher nozzle ø 35 mm

Art. 33147

High delivery oil gun grip with digital litre-counter Art. 37781 equipped with F 3/4" inlet swivel joint, filter, lever locking button, rigid terminal and drip-catcher nozzle ø 35 mm



Art. **33151 High delivery oil gun grip** equipped with **F 3/4**" inlet swivel joint, filter, lever locking button, flexible terminal and drip-catcher nozzle ø 35 mm

Art. **33146** High delivery oil gun grip with digital litre-counter Art. **37781** equipped with **F 3/4**" inlet swivel joint, filter, lever locking button, flexible terminal and drip-catcher nozzle ø 35 mm



GUN for windshield washing liquid and antifreeze


Art. 37785 Digital meter for windshield washing liquid and antifreeze, inlet and outlet F 1/2" BSP

Antifreeze gun Series 1/2" - 40AL

Art. **37764** Antifreeze gun with digital litre-counter Art. **37785** equipped with F 1/2" inlet swivel joint, filter, high flow rate rigid terminal

Art. 37762 Antifreeze gun with digital litre-counter Art. 37785 equipped with F 1/2" inlet swivel joint, filter, flexible terminal and semiautomatic drip-catcher nozzle ø 16 mm

Windshield washing liquid gun Series 1/2" - 40AN



Gun for oil and similar S. 1/2" - 30TP - 40AL - 40AP

Art. 38023

Art. 38020 <

with inlet swivel

joint F 1/2"

Art. 37740

Art. 38062

Swivel


joint for

oil gun,


M/F 1/2"



Gun for oil and similar Series 1/2" - 65AP



Gun for oil and similar Series 3/4" - 70AP - 85AP





Accessories digital meters and volumetric guns



Art. **37704** Digital dispensing oil gun with preselection,


equipped with: - inlet swivel joint F 1/2"

- flexible terminal

- semiautomatic nozzle ø 16 mm

★ not type-approved for public use

* articles not manufactured by us



Art. **37701 Mechanical litre-counter** (weight 1 Kg) **for oil,** equipped with:

- connection F 1/2" x F 1/2"

- indicator 0-10 litres

not type-approved for public use
articles not manufactured by us





Art. 37703

Oil gun with mechanical litre-counter (Art. 37701), equipped with:

- inlet swivel joint F 1/2"

- flexible terminal
- semiautomatic nozzle ø 16 mm

not type-approved for public use
articles not manufactured by us

Art. **33122 High delivery oil gun for transfer,** equipped with:

- F 3/4" inlet swivel joint (max 8 bar)
- rigid terminal with free outlet

Ideal for high deliveries in transferring oil, waste oil and antifreeze liquid

Note: it is advisable to use it with hose 3/4" (Art. 997.505) and with pumps R 1:1 (max 8 bar)

* articles not manufactured by us